




JCR Query Cheatsheet for AEM

(AEM 6.5 and AEM as a Cloud Service)




Feature	Use	QueryBuilder	XPath	SQL-2	Index definition	Note
Path restrictions	always	path=/content	/jcr:root/content	select * from [nt:base] where isdescendantnode('/ content')	includedPaths=/content queryPaths=/content (set them the same value!)	Just include paths, do not use "excludedPaths".
Detailed path restrictions	if possible	path=/content/dam/wknd type=dam:Asset	/jcr:root/content/dam/wknd// element(*,dam:Asset)	select * from [dam:Asset] as a where isdescendantnode(a, '/ content/dam/wknd')	evaluatePathRestritions= true	Path restrictions make sense if you need to search just a fraction of the overall indexed data, and this distinction can be made by path.
Node type restrictions	always	path=/content/dam type=dam:Asset				



JCR Query Cheatsheet for AEM

(AEM 6.5 and AEM as a Cloud Service)

Please post any feedback to the [AEM Forums](#)



Feature	Use	QueryBuilder	XPath	SQL-2	Index definition	Note
Or conditions on the same property	if needed	path=/content/dam type=dam:Asset 1_property=dc:format 1_p.or=true 1_property.1_value=image/jpeg 1_property.2_value=image/png	/jcr:root/content/dam//element(*, dam:Asset)[			